

MAHARASHTRA STATE ELECTRICITY TRANSMISSION CO. LTD.

Name of Office	:	EHV O&M Division Dombivali,
Office Address	:	Office of the Executive Engineer, MIDC Residential Zone - II, P-31 Near New Power House, Dombivali (East) - 421 203
Telephone No.	:	8554996321
CIN No.	:	U40109MH2005SGC153646
E.mail ID	:	ee7240@mahatransco.in/ eedombivalim@gmail.com
Website	:	www.mahatransco.in

No.EE/EHV/O&M/Dn/DMB/ **0 1 5 9 0**

Date **31 OCT 2023**

Budgetory offer

Sub. :- Budgetory offer for supply & fixing of Yard & outdoor Lights and necessary accessories at various s/stns and Sub-dns under EHV O&M Div. Dombivali for FY 2023-24.

Ref:- As per MSETCL Circular no. CE/MSETCL/VSH/F&A/No. 1996 dt. 27.07.2023

Dear Sir,

Please offer reasonable rates for the subject work as per the enclosed schedule 'A'. The detailed scope of works is given below. Please note the following.

RFx Number	Budgetory offer
Submission of Sealed and superscribed Quotations	01.11.2023, 10:00 Hrs to 07.11.2023, 23.59 Hrs.
Last date submission of Quotation	On or Before 07.11.2023, 23.59 Hrs
Quotation opening date	08.11.2023 at 10:00 Hrs.(if possible)
Estimated Cost	

For further details visit our website :- <http://srmetender.mahatransco.in>

Contact Person :- The Dy.. Executive Engineer, (O) : Phone No. 9833266055.

TERMS AND CONDITIONS :-

- 1] SCOPE of Work : Budgetory offer for supply & fixing of Yard & outdoor Lights and necessary accessories at various s/stns and Sub-dns under EHV O&M Div. Dombivali for FY 2023-24. as per the Schedule 'A'.
- 2] The prescribed form i.e Schedule 'A' duly filled in with the rates written in words and figures and signed should be sent by Registered post or in person to The Executive Engineer EHV O&M Division, Dombivali.
- 3] Please Super scribe the offer with the following details :-
 - A] Quotation for :-
 - B] Due Date :-
 - C] Name of the Bidder :-
- 4] Quotations which do not fulfill all or any of the qualifying conditions or are incomplete in any respect are liable to be rejected.

5] Bidder should not submit "Conditional Quotations"; Such conditional offer shall liable for rejection.

Not stated herein with all other General Terms and Conditions of the contract with MSETCL will be applicable to this contract too.

Thanking you,

Encl: Schedule 'A'

Yours faithfully,



H. S. Meshram,
Executive Engineer,
EHV O&M DnDombivali




MAHARASHTRA STATE ELECTRICITY TRANSMISSION CO. LTD
EHV (O&M) DIVISION, DOMBIVALI.

SCHEDULE 'A'

Sub - Budgetary offer for supply & fixing of Yard & outdoor Lights and necessary accessories at various s/stns and Sub-dns under EHV O&M Div. Dombivali for FY 2023-24.

Sr.No.	Material No	Material Description	Specification	Unit	Qty	Rate	Amount
1	500020791	200W LED Flood Light Luminaires (Make MSETCL Approved vendor)	Luminous Flux: 24,000 lumen Correlated Color Temperature (Nom): 5700 K Color rendering index (CRI) >70 Light source color: Cool white Optic type outdoor Distribution: Symmetric Wide Input Voltage: 220 to 240 V Driver included: Yes Power Consumption: 200 W Power Factor (Fraction): 0.95 Dimmable: No Housing Material: Aluminium pressure die cast Ingress protection code: IP66 [Dust penetration-protected, jet-proof] Surge Protection: (Common/Differential) Surge protection level until 4 kV	EA	317		
2	500024857	100W LED FLOOD LIGHT FIXTURE (Make MSETCL Approved vendor)	Luminous Flux: 12,000 lumen Correlated Color Temperature (Nom): 5700 K Color rendering index (CRI) >70 Light source color: Cool white Optic type outdoor Distribution: Symmetric Wide Input Voltage: 220 to 240 V Driver included: Yes Power Consumption: 100 W Power Factor (Fraction): 0.95	EA	110		

			Dimmable: No Housing Material: Aluminium pressure die cast Ingress protection code: IP66 [Dust penetration- protected, jet-proof] Surge Protection: (Common/Differential) Surge protection level until 4 kV				
3	500020862	100W LED Street Light Set wt Braket (Make MSETCL Approved vendor)	Luminous Flux: 10.000 lumen Correlated Color Temperature (Nom): 5700 K Color rendering index (CRI) >70 Light source color: Cool white Input Voltage: 220 to 240 V Driver included: Yes Power Consumption: 100 W Power Factor (Fraction): 0.95 Dimmable: No Housing Material: Aluminium pressure die cast Ingress protection code: IP66 [Dust penetration- protected, jet-proof] Surge Protection: (Common/Differential) Surge protection level until 4 kV	EA	70		
			Total				
			Add 18% GST				
			Grand Total				


H. S. Meshram
 Executive Engineer,
 EHV O&M Dn Dombivali
