



**MAHARASHTRA STATE ELECTRICITY TRANSMISSION CO. LTD.**

Name of office : EHV O & M Division, MSETCL, Karad.  
Office Address : Administrative Building, Ground Floor, Vijaynagar, Karad-415114, Dist: Satara.  
Contact No. : Tel. (O): 02164-255199, (P):02164-255047, (R):02164-255444Fax:02164-255047  
**Email ID** : [ee3110@mahatransco.in](mailto:ee3110@mahatransco.in)

---

**Ref No: EE/EHV (O&M) DN/KRD/T/ No. 1186**

**Date: 04.12.2023**

**TO WHOM SO EVER IT MAY CONCERN**

Please find attached herewith a detail schedule for supply of T&P required at various S/Stn. under EHV O&M Dn. Karad.

All interested & experienced bidders are requested to submit their best lowest budgetary offer as per the schedule 'A' along with applicable rate of GST for materials attached, same up to **Dtd. 11.12.2023** by e-mail at [ee3110@mahatransco.in](mailto:ee3110@mahatransco.in).

Please note that this budgetary offer is for estimation purpose only.

**-sd/-**

**(Santosh G. Bide)  
Executive Engineer,  
EHV (O&M) Division Karad**

**MAHARASHTRA STATE ELECTRICITY TRANSMISSION CO. LTD.****EHV O&M DIVISION KARAD.****CIN No: U40109MH2005SGC153646****SCHEDULE 'A'****Sub.:-** Supply of T&P required at various S/Stn. under EHV O&M Dn. Karad.

<b>Sr. No.</b>	<b>Particulars</b>	<b>Unit</b>	<b>Qty.</b>	<b>Rate Per unit Rs.</b>
<b>A</b>	<b>Supply Portion</b>			
<b>01</b>	Hand Grinder Technical Specification:- Rated input power- 800 W; Disc diameter- 100 Mm.	No.	1	
<b>02</b>	Drill Machine With Drill Bits set Technical Specification:- Rated Power Input : 600W Power Output : 360 W Rated Torque : 20Nm Drilling Capacity : Aluminum : 13 mm Wood : 30 mm Steel : 30 mm	No.	1	
<b>03</b>	6 meter Telescopic Ladder Technical Specification:- Aluminum Telescopic ladder Height - 6 meter, Material- Alloy Aluminum Work Load Capacity - 150 Kg., Steps - Square Pipe Steps	No.	1	
<b>04</b>	Polypropylene Rope 16 mm Technical Specification:- 1)Rope Type: Twisted Polypropylene along with test certificate 2)Diameter in mm: 16 mm 3) 220meter coil (bundle)	Bundle	1	
	Polypropylene Rope 18 mm Technical Specification:- 1)Rope Type: Twisted Polypropylene along with test certificate 2)Diameter in mm: 18 mm 3) 220meter coil (bundle)	Bundle	1	
<b>05</b>	Bolt Remover Machine Technical Specification:- 1) Item Torque : 300 Newton Millimeters 2) Operation Mode : Battery	No.	1	
<b>06</b>	Overhead Line crimping machine Technical Specification:- 1) Stroke : 25 mm, Crimping tool weight- 10 Kg 2) Hand pump- 9 ltr oil tank working pressure 9 700 bar, 3) Capacity : 21 Ton, single acting both side lock pin type	No.	1	

	with pressure guage and 10 Mtr. hose pipe 4) Tool working pressure 700 bar hydraulic pump required 5) Dies : 0.2, 0.4			
<b>07</b>	Tree Cutter ( chain saw machine- Petrol) Technical Specification:- 1) 58 cc 2) 2400 Watt 3) 2800 RPM 4) Chain Length : 22 Inch	No.	1	
<b>08</b>	Binocular Technical Specification:- 1)Objective Lens Diameter: 40 Millimeters 2)Magnification Maximum: 10X	No.	1	
<b>09</b>	Ground level Hydraulic crimping tool cap- 100 Ton which is operated by any drive like hand pump, electrical, petrol, drive suitable for ACSR conductor Technical Specification:- Double acting type, Capacity - 100 Ton working pressure 700 bar stroke- 25mm , Hydraulic crimping tool suitable for ACSR or earth wire press req. die set (0.2, 0.4 aluminum & steel) hand pump with DCV working pressure 700bar with A&B pressure port along with hi pressure 2 mtr. X 2 no hose pipe.	No.	1	

**Note: - 1.** Taxes should be quoted distinctly if any.

**2.** The above material is required for 22 Nos. of S/Stns. under EHV O&M Dn. Karad.

**-sd/-**  
**(Santosh G. Bide)**  
**Executive Engineer,**  
**EHV (O&M) Division, Karad.**