



MAHARASHTRA STATE ELECTRICITY TRANSMISSION CO. LTD.
CIN No.U4010MH2005SGC153646

EHV O&M Division, Idgah Naka, Nalwandi Road, Beed- 431122

Cont. No. 0242-222876 (O) / 222803 (P)

Email Id :- ee2230@mahatransco.in/ eebeed@gmail.com

Ref No: EE/EHV(O&M)/Div./Beed/Tech/ No 105

Date: 12 3 JAN 2025

To,
E- Enquiry

Sub: E-Enquiry for the Work of Supply of 5kV Insulation Tester for various EHV Sub-Stations under EHV (O&M) Division, Beed.

Dear Sir,

Sealed firm quotations are invited for are invited from supplier/ vendors for subject items as per details given in schedule 'A' subject to following conditions: - under EHV (O&M) Division Beed on the conditions listed below as per attached schedule "A".

TERMS AND CONDITIONS:

1. Your sealed quotation should reach this office on or before **Dt. 30.01.2025** at **18:15Hrs.** and will be opened on the next day, if possible.
2. Quotation shall be sent under sealed cover duly super scribed as Quotation for -- --
----- & Your Enquiry No. -----
3. **Documents enclosed with the offer for Technical Qualification.**
 - a) Shop Act Registration
 - b) GST Registration Certificate.
 - c) PAN card of bidder with ITR 2023-24.
 - d)The bidder should either be a manufacturer of offered material or he should be an authorized dealer of the manufacturer. If the bidder is an authorized dealer of the manufacturer, he must submit documentary evidence such as an authorization letter from the original manufacturer for this E-Enquiry.

In the case of the authorized vendor of OEM, the following clause shall be applicable.

- a) In any E-Tender/ E-Enquiry, the same product/same model should not be quoted by more than 01 (one) dealer/distributor/channel partner. The OEM should authorize only one dealer/distributor/channel partner for a particular tender.

- b) In case, any OEM authorizes more than 01 (one) dealer/distributor/channel partner to bid in E-Enquiry & all the authorized dealers/distributors/channel partners bid for the same product/model, then the bids of all these authorized dealers/distributors/channel partners of said OEM shall be rejected in technical scrutiny itself.
- c) In case, if authorized dealer/distributor/channel partner participates in bid, then the OEM cannot participate in the same. Other way around, if an OEM participates in E-Enquiry, then his authorized dealer/distributor/channel partner cannot participate in the same E-Enquiry. Under such cases, bids of both OEM & its authorized dealer/distributor/channel partner shall be rejected in technical scrutiny itself
4. The rates shall be quoted in the work schedule "A" The rates and amount shall be written both in figures. The rates shall be written legibly and shall be free from eraser. Overwriting or conversions of figures correction and where unavoidable shall be made by Crossing out initiating, dating and rewriting.
 5. No advance payment shall be made in any case. However, 100% payment shall be effected after satisfactory completion of work.
 6. **Security Deposit:** -Security Deposit 10% of Order value to be paid within 10 days from the date of issue of LOA, in terms of cash/ DD to the office of Executive Engineer, EHV (O&M) Division Beed.
 7. The quotation should be submitted strictly as per our requirement; any additional condition/shortfall left in offer letter shall cause rejection of quotation.
 8. The undersigned reserves the right to reject any or all the quotations without assigning any reasons thereof.

Thanking you,

Encl: Schedule "A".

Your's faithfully,




(Vasudeo Labase)
**Executive Engineer,
EHV O&M Division, Beed.**

MAHARASHTRA STATE ELECTRICITY TRANSMISSION CO.LTD.,
EHV O&M Division, Beed.

SCHEDULE "A"

Scope of Work: Work of Supply of 5kV Insulation Tester for various EHV Sub-Stations under EHV (O&M) Division, Beed.

Sr. No	Particulars of works	Unit	Qty.	Ex-Rate	18% GST	Amount including 18% GST
1	<p><u>Insulation Tester 5kV Model, 3125A with following specifications along with test reports.</u></p> <p>*Insulation Resistance- 1TΩ * SC Current- 1.5mA * Test voltage range- 250 to 5000V * Diagnosis function DAR & PI * Filter function reduces noise interference for obtaining stable measurement. * Large Display with bar graph indication & backlight. * Live voltage warning. * Safety Standard IEC61010-1 CAT IV 300V/CAT III 600V.</p>	Nos.	01			


(Vasudeo Labase)
Executive Engineer,
EHV O&M Division Beed.