





MAHARASHTRA STATE ELECTRICITY TRANSMISSION COMPANY LTD.,

(CIN NO. U40109MH2005SGC153646)

By - Superintending Engineer (C)

Office Name :- EHV CIVIL CONSTRUCTION CUM MAINTENANCE CIRCLE, KOLHAPUR

Udyog Bhavan, 1st Floor Assembly Road, Nagala Park, Opp. Mahavir Garden,

Kolhapur- 416003 Dist : Kolhapur

(O): 0231-2650283 (P): 0231-2650193

E mail: se3700@mahatransco.in
Website: www.mahatransco.in

No. SEC/KOP/T/TG-30/

000103



Date :

2 8 JAN 2025

E-enquiry

Annual Market	HERE	

Sub:- Supply of Medium Back Standard Ergonomic Office Chairs & Advanced Executive High Back Standard Ergonomic Office Chairs with headrest at EHV CCCM Circle, Kolhapur.

Dear Sir,

Sealed and super scribed item rate basis e-enquiries are invited on following terms & conditions by the undersigned for the above mentioned works as per schedule B attached herewith so as to enable to reach in this office on or before . 0.6. 0.1-2.25 upto 17.00 Hrs.

Terms and Conditions:

- 1. The period for supplying of above material is 15 days from the date of issue of work order.
- 2. The supply should be carried out with full satisfaction of Engineer-In-Charge including installation, satisfactory testing, etc.
- 3. Quantities mentioned in Schedule "B" are approximate and are liable for variations. However, payment shall be made as per actual quantities executed and measured as per M.S.E.T.C.L.'s rules.
- 4. E-enquiry should be duly filled in all respects and signed, failing which it will be liable for rejection.
- 5. Successful bidder should have to provide after sale service for a period of 6 months from the date of supply.
- 6. In case of any dispute, decision of the Superintending Engineer (C) MSETCL, EHV CCCM Circle, Kolhapur shall be final and binding on the contractor.
- 7. Rates quoted shall be inclusive of all the Taxes.
- 8. The rate should be valid for minimum 60 days from the date of opening of E-enquiries.

- 9. Income Tax, as per prevailing rates will be recovered from your bill.
- 10. You have to quote your offers considering prevailing rates of GST. If the contractor is registered in GST, it is contractors responsibility to pay the GST to appropriate Government authority. In case of GST unregistered contractor, GST as per prevailing rate of bill amount will be recovered from the bill and same will be directly paid by this office to Government authority.
- 11. Successful agency have to pay total security deposit 5 % of value of the contract by Cash within 7 days from the date of issue of order, in the office of the Superintending Engineer, EHV CCCM Circle, Kolhapur, otherwise same will be recovered through bills. Same will be refunded after successfully completion of maintenance period of 3 months from the date of completion of work.
- 12. Agreement As per the rules of MSETCL successful bidder will have to enter into an agreement on stamp paper of amount of Rs. 500/- with MSETCL for the above work as early as possible. An until such agreement is executed with the MSETCL, the MSETCL shall not be liable to pay nor the successful bidder shall be entitled to claim for amount due for payment if any under this contract. Cost of stamp paper shall be borne by successful bidder.
- 13. Guarantee certificate as per manufacturer's terms & conditions shall be submitted.
- 14. No any material will be issued by the Company for this work.
- 15. Other contractual terms and conditions of MSETCL shall be applicable to this contract also.
- 16. Please furnish zerox copies of your PAN No., Goods & Service Tax Registration Certificate, letterhead & proof of residence along with this e-enquiry.
- 17. Right to reject any or all e-enquiry without assigning any reasons thereof is reserved by the undersigned.
- 18. The work should be carried out as per enclosed Schedule 'B'.
- 19. After issue of work order successful agency has to supply materials mentioned in Schedule -B, if failed necessary actions as per MSETCL rules will be taken against such agency.
- 20. In case of any legal disputes regarding the work order for this work, the same shall be subject to Kolhapur District Court's jurisdiction only.

Thanking you.

Yours faithfully,

(Sanjay Kinkar)

Superintending Engineer (C) I/C

EHV CCCM Circle, Kolhapur

Encl - Schedule "B".

Copy to:

1) The Manager (F&A), EHV CCCM Circle, Kolhapur.

2) M/file No. TG-30.

\Dymgr2-pc\g\Tech 2024-25\General asset budget - 2024-25\Supply of Executive & medium back chairs\E-enquiry.docx

MAHARASHTRA STATE ELECTRICITY TRANSMISSION CO LTD

EHV CCCM CIRCLE KOLHAPUR

Schedule - B

Name of Work:-Supply of Medium Back Standard Ergonomic Office Chair & Advanced Executive High Back Standard Ergonomic Office Chair with headrest at EHV CCCM Circle, Kolhapur.

Sr. No.	Activity No.	Description of item Supply of Medium Back Standard	Qty	Ex- work	GST 18%	Total rate	Unit	Amoun
		by Bharat Furniture Manufacturing Comapany, Mumbai Model type PONEY MIDBACK having overall average dimenions (23x25.25x44)", Black in color having following Detail		Sening Sen Sening Manager Sening Trans	stintes subjecte g Zebo ro getis Palitaci	network of the second of the s	No.	
	i a r a 3	Specifications:- 1) Back Rest:- Breathable Ergonomic Nylon mesh back rest having overall average dimensions (18x25)" for ventilation & ergonamic support frame made of Polycarbonate Plastic having average member thickness 1.5" to 1.25", Polycarbonate adjustable lumber support to support lower back			i aldini Shall Shall Shall Shall Shall Shall	TOTAL STATE		
	2 ba	Seat:- Adjustable Cushione seat with Nylon fabric cover supported by to 3 mm thick sturdy Polycarbonate ase having overall average dimensions 9.75x19.75)"	15 01	read de la contraction de la c	eelf di eest k n tkoe eeloe	Parcer Sound		
	ar ha he	Armrest:-Adjustable Padded mrests made of Polycarbonate plastic aving average dimensions (10"x3.5"), eight adjustment from Seat (9.5" to 5.5") with press & lock knob echanism				pp (Section 1995) (Section 1995) (Section 1995)	njare 10 kata B ij kata Bab Kajan Majan	
	cyl sea fro	Base:-A sturdy metallic base having andard Capacity Gas lift or Pneumatic linder mechnism providing adjustable at height of seat from floor varies m 19.25" to 23.25" as per required cased within Polycarbonate plastic	bellio to 1	Selficial entre of ex-	TOM IS NOT TO SERVED SERVED SERVED SERVED	care parameter and a second control of the control		
	cap 2"C inte	Possible of the connected by star shaped Five Caster wheels arrgangment erconnected by 13" Polycarbonate embers (2" thick) for mobility	e Ma			inte don mi	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	

10		5) Synchro Mechanism:- Chair should have a synchro mechanism allows the	MA	7324	TATE	SHTRAS	SALIAR.
		backrest and seat of the chair to tilt in a synchronized ratio etc. or equivalent make at EHV CCCM Circle, Udyog	910	enoc enoc			
		Bhavan, Kolhapur. Chairs should be wrapped in protective Plastic bubble wrap during supply, including all		entaesi	Back il	D softo	iner in get bish
		installtation, transportation etc. complete. As directed by Engineer incharge.			eti (n.)	estroresel	yarvi
20	N. D.	Supply of Advanced Executive High	2				No.
		Back Standard Ergonomic Office		brahm		A PRUMPA	
		Chair with headrest manufactured by		DOSELLE			
		Bharat Furniture Manufacturing		Office and	SEANUE.	Controvibil	men man
		Company, Mumbai Model type			I POOR	SIDLE OF	234 CS
		E.V.HIGHBACK having overall		74.5.5	200	The second	ella suale i i
		average dimenions (24x23x49)", Grey		100 T 100	weite	agiveri so	or of Helli
		in color having following Detail					ione (times
		specifications:- 1) Back Rest:- Breathable Ergonomic		HODOR	i skin	maril -st	ed dod (I)
		Nylon mesh Split type back rest for		Dissevo	and the	back read	desir saliyati
		ventilation, Plain trapezoidal in shape		101	1004	tr) prosess	a to 92/ 974 J
		High Backrest having average		A HO	100	agrays a	Seriognia (NEC)
		dimensions (20x14)" & Lower Backrest		gatylat	Bearing.	Special States	10 10 1 10 1
		having average dimensions (18x13)"		02.7	I kan		
		slightly curve in shape, Both high &	1 3		BUSCH		
		lower backrests supported by frame			Mari a		
		made of Polycarbonate Plastic having		5892	ujoides	1.00	12 - State (2)
		average member thickness 2" to 2.5"		de bate	AGUE 1	strate strain	Died Sittle
		with additional V support members for		Tisnoth .	uselo	Analysis	tel time a second
		extra safety, Polycarbonate adjustable		MELENDRI	1961	SHEET TRANSPORT	39.00
		advanced lumber support to extra lower					
		back support			S DES		100 OH 100 OH
		2) Head Rest:- Breathable Nylon		3 (1815) 3			savenire mark/git
		mesh headrest having average				Service Landin	i fecul cod
		dimensions (11x6)"for ventilation &			L VIII	Bar Sansan	Edwarf Coll
		support frame made of Polycarbonate Plastic having average member					reins 25ml
		thickness 1.5" to 2" supported by		wived.		inen yin	in Asserta (b)
		middle back rest support interconnected		i senses	9 30 1	light) (files	gg O brelland2
		to V support members		el federaji	e gait	New Mean	extend make
		3) Seat:- Adjustable Cushione seat		toitt	yooti	10031 7050	lo pigine 1692
		with Nylon fabric cover supported by		bein	190	a TESTE	at 25.24 nasm
		2 to 3 mm thick sturdy Polycarbonate			g signi	value vellorii. I	VER 1 14 TO 123 (2)
		base having overall average dimensions (19x22)"	S	9/10	ingen inge	e die ver	on page 1915
		4) Armrest:-Adjustable Padded		'olege	ALL PARTY	0 5 70	A STATE OF THE STA
		armrests made of Polycarbonate plastic			e e e e	OF ALL SHORE	a car partis
		having average dimensions (10"x3.5"),					
		height adjustment from Seat (9.5" to					
		13.5") with pull & lock lever					
		mechanism					

20	5) Base:-A sturdy metallic base having				
	Standard Capacity Gas lift or Pneumatic				
	cylinder mechnism providing adjustable				
	seat height of seat from floor varies				
	from 16" to 19" as per required encased				
	within Polycarbonate plastic caps,				
	supported by star shaped Five				
	2.5"Caster wheels arrgangment				
	interconnected by 13" Polycarbonate				
	members (2" thick) for mobility.				
	6) Synchro Mechanism:- Chair should				
	have a synchro mechanism allows the				
	backrest and seat of the chair to tilt in a				
	synchronized ratio, having extra lever				
	knobs that allows maximum tilting				
	position with lock & recline as per				
	requirement etc. or equivalent make at				
	EHV CCCM Circle, Udyog Bhavan, Kolhapur. Chairs should be wrapped in				
	protective Plastic bubble wrap during				
	supply, including all installtation,				
	transportation etc. complete. As				
	directed by Engineer in-charge.				
	directed by Engineer in-charge.				
		Total Rs.			

	4 4
n -	only
KS	 OHLY

Superintending Engineer (C) I/C Kolhapur

I am/we are ready to supply material with above quoted rates.

Signature of Contractor, Name & Address.