

Tender for Operations and maintenance**Information**

| | |
|-----------------------------|--|
| RFx number: | 7000027217 |
| Publication: | Public RFx |
| Version: | |
| RFx Name: | P&F OF SPIKE BIRD GUARD ON 400KV LINES |
| Tender Subject: | PROVIDING & FIXING NON-CONDUCTIVE, SPIKE TYPE, BIRD GUARD SUITABLE FOR 400KV TOWERS OF 400KV LINES |
| Bid Submission: | 02.06.2023 |
| Funded By: | |
| Tender Fee Inc. GST: | 590,00 ₹ |
| Estimated Cost: | 2.163.175,20 ₹ |
| Basis of Prices: | |
| Percent Based Bid: | Yes |
| EMD Cost: | 21.631,75 ₹ |
| Tech Bid Open: | 02.06.2023 11:00:00 |
| Price Bid Open: | 02.06.2023 12:00:00 |
| Contact Person: | EE-8554997998 DYEE(CHARGE)-8554990114 |

Additional Requested Information:

Average Annual financial turnover certified by CA.during the last 03 years,duly tallied with profit & loss account of corresponding years, ending 31st March of the previous financial year, should be at least 50 % of the estimated cost. (essential).

Experience certificates of having done the “P& F Non-conductive, Spike type, Bird Guard on 400KV Towers ” amounting to 80% of the estimated cost in 1order or 50% of the estim. cost in 2order or 40% of the estim. cost in 3 order last 05 years

Proof of Goods & Service Tax Registration (GSTIN Registration).

Proof of professional Tax registration certificate.

Proof of Registration of Firm under Bombay shop & Establishment Act.

Copy of SSI/NSIC Certificate with Memorandum (if applicable).The Registration Certificate as submitted by Micro and Small Enterprises should be VALID on the date of submission of bid and the validity of the same should be certified by the Chartered Acc

Income Tax Returns of last 03 financial years with PAN Card copy and audited balance sheet & Profit and loss Account.

Proof of Registration under Provident fund Act with challan paid for any of the last 06 months (If applicable)

Undertaking of contractor as per Annexure G should be submitted

Valid insurance of Labour / ESIC if applicable.

Detail list of Staff & T&P for work execution.

Valid Electrical License Certificate.

Notarised affidavit to made on 500/-Bond paper for genuineness of documents submitted by bidder.

JV not allowed for R&M Works.

Sample of Spike Guard as per ANNEXURE “A”-Scope of Work should be submitted for approval. The approval letter should be uploaded along with the bid.

Proof for Tender fee and EMD paid/exempted.

Attachments:

Tender for Operations and maintenance



Information

RFX number: 7000027217

Version:

Attachments:

- TENDER DETAIL - TENDER BOOKLET

Tender for Operations and maintenance



Information

RFx number: 7000027217

Version:

RFx Details:

(*Amount in ₹)

| Item | Item category Product no. | HSN/SA C No. | Description | Qty | Unit Rate | Amount |
|------|------------------------------|-----------------|---|------------------|-----------|------------|
| 1 | Outline | 998631 | P&F Spike Type Bird Guard WARORA - IEPL | 1,000 AU | -- | 1081587,60 |
| 1.AA | Service 50012544 | 998631 | P&F Spike Type Bird Guard P&F Spike Type Bird Guard# Providing & Fixing Volume Resistive, Surface Resistive, ASTM 0257 Method# tested as per IS 14772-2000, Non-conductive, Spike type, Bird Guard suitable for# 400KV Towers of 400KV WARORA-IEPL LINE under 400KV Substation O&M Division, Warora.# (Loc. No. 206, 207-208, 210-215, 217-219, 222-224, 226-237, 239-244, 246-251, 255, 257-258, 260-263, 265-276, 278-282, 287-289, 291-301, 303-306, 308-312, 315-318, 321, 325-331, 334 Total locations 85 (12 nos. Spike guards are required for each location for S/C. Hence total nos of spike guards required on 85 locations (S/C) is 85*12=1020)) | 1.020,00 0 EA | 1060,38 | 1081587,60 |
| 2 | Outline | 998631 | P&F Spike Type Bird Guard K-2 WAR PGCIL | 1,000 AU | -- | 1081587,60 |

Tender for Operations and maintenance



Information

RFX number: 7000027217

Version:

| Item | Item category Product no. | HSN/SA C No. | Description | Qty | Unit Rate | Amount |
|------|------------------------------|-----------------|--|------------------|-----------|------------|
| 2.AA | Service 50012544 | 998631 | P&F Spike Type Bird Guard P&F Spike Type Bird Guard# Providing & Fixing Volume Resistive, Surface Resistive, ASTM 0257 Method# tested as per IS 14772-2000, Non-conductive, Spike type, Bird Guard suitable for# 400KV Towers of 400KV KORADI 2-WARDHA PGCIL DEOLI CKT under 400KV Substation O&M Division, Warora.# (Loc. No. 206, 207-208, 210-215, 217-219, 222-224, 226-237, 239-244, 246-251, 255, 257-258, 260-263, 265-276, 278-282, 287-289, 291-301, 303-306, 308-312, 315-318, 321, 325-331, 334, Total Locations =85 (12 nos Spike Guards are required for each location for S/C Hen | 1.020,00 0 EA | 1060,38 | 1081587,60 |

(*Unit Rate mentioned is inclusive of all taxes)

Tender for Operations and maintenance



Information

RFx number: 7000027217

Version:

Annexure - I

(* NR is for Invalid Condition)

| Item | Product No. | HSN/SAC | GST App. in % | Item type | Conditions* |
|------|-------------|---------|---------------|-----------|-------------|
| 1 | | 998631 | 18.00 | E | |
| 1.AA | 50012544 | 998631 | 18.00 | E | EXW, |
| 2 | | 998631 | 18.00 | E | |
| 2.AA | 50012544 | 998631 | 18.00 | E | EXW, |

(* PFQ -> Packing and Forwarding Per Quantity FRQ-> Freight Per Quantity FR%-> Freight in Percentage,
EXW ->Ex-Works (Basic Price), PFP-> Packing and Forwarding in Percentage, INQ-> Insurance Per Quantity,
INP -> Insurance in Percentage, DISCQ-> Discount Per Quantity, DISCP->Discount in Percentage)